

HALLOWELL

SCHOOL SHOP FURNITURE




STEEL WOODWORKING BENCHES

free standing

Every HALLOWELL woodworking bench is designed and fabricated to obtain longest possible service with least possible maintenance. The cabinet base types offer the utmost in versatile bench storage. The HALLOWELL steel bench legs, which are industry standards, embody a functional optimum for open bases models. Superb


design, rugged construction, optional units and assorted accessories make every HALLOWELL bench a sound investment in utility and economy.

Benches shown on this page are free-standing type. Wall benches with cabinet or locker bases are also available. Write for Bulletin 2112 Rev.



CABINET BASE TYPE

Model 1000-C, 4-position, shown



LOCKER BASE TYPE

Model 1000-L, 4-position, shown



OPEN BASE TYPE

Model 1010, 4-position, shown

NO. POSITIONS	MODEL NO. TOP MATERIAL	NO. BASE UNITS	BASE DIMENSIONS (inches)	TOP SIZE (inches)
4	1000-C-RWX "SHOP TOP"	2	36x42x31	64x60x2 1/4
	1000-C-WWX LAMINATED WOOD	2	36x42x31	64x54x2 1/4
1 or 2	1005-C-RWX "SHOP TOP"	1	36x21x31	64x36x2 1/4
				64x30x2 1/4
				64x24x2 1/4
	1005-C-WWX LAMINATED WOOD	1	36x21x31	64x36x2 1/4
1 or 2	1005-L-RWX "SHOP TOP"	1	36x21x31	64x30x2 1/4
				64x24x2 1/4
				64x36x2 1/4
	1005-L-WWX LAMINATED WOOD	1	36x21x31	64x30x2 1/4
4	1000-L-RWX "SHOP TOP"	2	36x42x31	64x60x2 1/4
	1000-L-WWX LAMINATED WOOD	2	36x42x31	64x54x2 1/4
1 or 2	1005-L-RWX "SHOP TOP"	6	12x21x15	64x36x2 1/4
				64x30x2 1/4
				64x24x2 1/4
	1005-L-WWX LAMINATED WOOD	6	12x21x15	64x36x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2		40 1/2
	1010-WWX LAMINATED WOOD	29—31 1/4 33 1/2		40 1/2
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
			22 1/2	64x24x2 1/4
	1015-WWX LAMINATED WOOD	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64x54x2 1/4
1 or 2	1015-RWX "SHOP TOP"	29—31 1/4 33 1/2	34 1/2	64x36x2 1/4
			28 1/2	64x30x2 1/4
4	1010-RWX "SHOP TOP"	29—31 1/4 33 1/2	40 1/2	64x60x2 1/4
			40 1/2	64

SPECIFICATIONS (continued)**BASES**

cabinet—All welded heavy gage steel with interlocked deep flange construction. Channel-reinforced doors have 2-point latching device with cylinder locking handles. Two keys supplied for each lock. Cabinets have one adjustable shelf which can be removed to store large items. *Additional shelves available.* Tops attach directly to cabinet, or steel angles are available for securing cabinet to top and floor. See table for dimensions and number of cabinets in base.

locker—Constructed of heavy gage steel with self-closing, spring-hinged doors containing pulls and padlock attachments. Provision is made for flat key locks, if desired. Tops attach directly to lockers, or angles are available for securing lockers to top and floor. See table for dimensions and number of lockers in base.

open—All-steel base consists of HALLOWELL all-welded bench legs with integral cross braces. Leg assemblies are secured rigidly by ribbed steel stringers. Legs are available in four widths and three heights. See table for dimensions.

FINISH

Tops are coated with clear, durable finish on work surface and edges. Undersides are coated with moisture-resistant sealer.


Bases are phosphate coated, then finished with tough, long wearing SPS green baked-on enamel. Other colors available at additional cost.

ACCESSORIES


A variety of bench dogs, adjustable bench stops, locks, number plates and other accessories are optional at additional cost. Master keys for all drawer, cabinet, locker and door locks are available. Benches can be ordered with or without vises, as desired. See Bulletin 2112 Rev. for complete details.

GENERAL INFORMATION

All lockers are assembled and shipped in 6-locker units. Cabinets are shipped assembled and ready for installation. Open benches are shipped knocked down. All tops and accessories are packaged separately. Because hole requirements for dogs and stops vary, request Form 102 to indicate number and location of stops, dogs and holes wanted.

OTHER HALLOWELL SHOP BENCHES

Model 1018 Glue Bench



Model 1021 Stake Bench



Model 1030 Machine Bench



Model 1110 Welding Bench

School shops can be completely outfitted with HALLOWELL standard units at a fraction of the cost of custom-designed equipment. The items shown on these pages have been specifically developed for industrial arts and vocational shops. They are identical in material, construc-

tion and quality to HALLOWELL shop equipment that has been standard throughout industry for many years.

The complete line of HALLOWELL school shop furniture is listed and described in Bulletin 2112 Rev., available on request.

HALLOWELL Drawing Tables and Service Units

Here is the solution to multi-class drawing instruction. Each student is assigned a drawer and a drawing board which are stored in the service unit. Before class, the student takes board and drawer to table, which has slides under-

neath to hold drawer. After class, student returns both drawer and board to service unit, making room for next class. Using the same tables, as many modular service units may be obtained as necessary to accommodate varying day and evening classes.




Model 1058 Drawing Board Cabinet; Model 6402 Drawer Pedestal Unit with Model 6408 Base

Model 1056 Drawing Table




Model 241 Revolving Seat Adjustable Drafting Stool


SPS**STANDARD PRESSED STEEL CO.**




Closed Type ERECTOMATIC Shelving—*Bulletin 2257*




HALLOWELL Model 1074 Tool Storage Cabinet—*Bulletin 2109*



HALLOWELL Model 1060 Stain and Finish Cabinets—*Bulletin 2112*



HALLOWELL Model 810 Storage Cabinet—*Bulletin 2125*



HALLOWELL Model 1100 Vertical Lumber and Metal Storage Rack—*Bulletin 2112*



HALLOWELL Model 1043 Cabinet—Base Electrical Bench
Bulletin 2112



HALLOWELL Model 1090 Soldering Bench—*Bulletin 2112*

OTHER HALLOWELL SCHOOL SHOP FURNITURE

STORAGE WALL UNITS—All-welded steel. Ideal for storage of small parts and tools. *Bulletin 2110.*

CABINET BENCHES—Finest heavy gage steel construction, smooth rigid work surfaces, doors and drawers glide on Nylon rollers. *Bulletin 2104.*

STORAGE CABINETS—Desk, counter and full height units. One and two door models. Adjustable shelves. Chrome locking handles. *Bulletin 2125.*

STANDARD WORK BENCHES—Sturdy, all-welded steel legs. Choice of long-wearing tops, variety of accessories. *Bulletin 2103.*

DRAWERS AND DRAWER TIERS—All-steel, with smooth Nylon rollers for finger-tip operation. Recessed pulls, padlock attachments are supplied, cylinder locks available. *Bulletins 2103 and 2104.*

TOOL STANDS AND CARTS—Versatile units for transporting tools, dies, and other equipment around shops. Also used in banks, cafeterias, libraries, offices, etc. *Bulletin 2108.*

TOOL STORAGE CABINETS—Revolutionary development in tool storage cabinets uses heavy-gage steel pegboards that swing out to give access to back panels. *Bulletin 2109.*

STOOLS AND CHAIRS—A large assortment of strong, welded steel stools and chairs for school shops, drafting rooms, cafeterias, etc. is listed and described in *Bulletin 2107.*

COLUMBIA-HALLOWELL OFFICE FURNITURE—Uniquely designed, functionally styled, superbly constructed steel desks, chairs, tables, bookcases, storage partitions and file cabinets for executive suites, administrative areas, conference rooms, guidance centers, offices, libraries and classrooms. Available in 13 standard colors with 176 possible color combinations. Described and illustrated in *Bulletins 2525, 2421, 2419, 2429, 2443.*

COLUMBIA-HALLOWELL Division **SPS**

JENKINTOWN, PENNSYLVANIA • SPS WESTERN, SANTA ANA, CAL.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Carol J. Dyson, AIA